

BRANACH
SAFETY. OUR WAY OF LIFE

Superior height safety systems.

**Australian made.
EU approved.**



branacheurope.com

Who is Branach?

Branach is a world-leading height safety solutions provider. Keeping your workers safe is our priority. Every product we create, every innovation we devise is driven by this goal.

Partnership

Our starting point is listening – to understand our client's needs. This partnership enables us to design a customised solution and provide comprehensive product training.

Innovation

Our design team creates world-class, functional, simple and well-engineered products.

- Unique patented Strongbox construction method
- Award-winning Terrain Master levelling system
- World's leading fibreglass safety step platform

Which industries use our products?

Branach services a number of industries including construction, telecommunications, oil and gas, aviation, transport, maintenance, water supply, solar and wind power.

Our corrosion-resistant range is found in the demanding conditions of mining sites, chemical plants and waste water environments.

FPE Series

Safety Step Platform

Our FPE range of safety step platforms conform to the new EN 131-7 standards, the world's most stringent standard for portable platforms.

- Fibreglass stiles
- Electrically safe
- Extra stability as per EU standard
- Lightweight and easy to position
- Folds to 200mm width
- Single action set-up
- Comfortable working platform



Premium Platform FPE-PM

Features kickboard, 400mm platform deck, sure step covers, raised legs and rear safety rail.

MODEL	Platform height	Width with stabilisers	Front to rear spread	Maximum load rating	Weight
FPE-PM-0.6	0.65 m	1.07 m	0.97 m	150 kg	15 kg
FPE-PM-0.9	0.85 m	1.07 m	1.09 m	150 kg	17 kg
FPE-PM-1.2	1.14 m	1.07 m	1.22 m	150 kg	19 kg
FPE-PM-1.4	1.43 m	1.36 m	1.34 m	150 kg	21 kg
FPE-PM-1.7	1.71 m	1.36 m	1.46 m	150 kg	23 kg
FPE-PM-2.0	2.00 m	1.65 m	1.59 m	150 kg	26 kg
FPE-PM-2.3	2.29 m	1.65 m	1.71 m	150 kg	28 kg
FPE-PM-2.6	2.58 m	1.82 m	1.83 m	150 kg	31 kg
FPE-PM-2.9	2.86 m	2.24 m	1.96 m	150 kg	33 kg

Standard Platform FPE-ST

Features kickboard and 400mm platform deck.

MODEL	Platform height	Width with stabilisers	Front to rear spread	Maximum load rating	Weight
FPE-ST-0.6	0.58 m	0.85 m	0.94 m	150 kg	13 kg
FPE-ST-0.9	0.86 m	0.85 m	1.06 m	150 kg	15 kg
FPE-ST-1.2	1.15 m	0.85 m	1.18 m	150 kg	17 kg
FPE-ST-1.4	1.44 m	1.14 m	1.31 m	150 kg	19 kg
FPE-ST-1.7	1.72 m	1.14 m	1.43 m	150 kg	21 kg
FPE-ST-2.0	2.01 m	1.43 m	1.55 m	150 kg	24 kg
FPE-ST-2.3	2.30 m	1.43 m	1.68 m	150 kg	26 kg
FPE-ST-2.6	2.59 m	1.60 m	1.80 m	150 kg	29 kg

Safety Step Platform Accessories

CE Lever Actuated Castors FE Front Split Rail MK Company Mark RE Rear Safety Rail TR Tool Tray TU Terrain Master up to 1.8m

Platform height

Width with stabilisers

Front to rear spread

Maximum load rating

Weight

FED/FND Series

Extension and Single Ladders

Our single and extension ladders are stronger than any other fibreglass ladders in the market, featuring a unique Strongbox construction.

- Fibreglass stiles
- Electrically safe
- Lightweight and easy to position
- Outstanding durability
- Dramatic reduction in sway and twist
- All-weather resistant
- Swivel foot maximises grip on uneven ground
- Complies to EN 131-1

Extension Ladder FED

Features flat D rungs for greater foot stability, Branch Latch and Arapoline Rope. Single action set-up.

MODEL	↙	↗	⚠	kg
FED 4.0	2.70 m	4.00 m	160 kg	15.5 kg
FED 5.2	3.30 m	5.20 m	160 kg	18.5 kg
FED 6.4	3.90 m	6.40 m	160 kg	21.6 kg
FED 7.6	4.40 m	7.60 m	160 kg	27.1 kg
FED 8.8	5.10 m	8.80 m	160 kg	31.5 kg
FED 9.4	5.70 m	9.40 m	140 kg	35.5 kg
FED 9.8	5.90 m	9.80 m	120 kg	35.5 kg

Single Ladder FND

Features flat D rungs for greater foot stability and 450mm ladder width.

MODEL	◇	⚠	kg
FND 2.4	2.40 m	160 kg	15.5 kg
FND 3.0	3.00 m	160 kg	18.5 kg
FND 3.6	3.60 m	160 kg	21.6 kg
FND 4.2	4.20 m	160 kg	27.1 kg
FND 4.8	4.80 m	160 kg	31.5 kg
FND 5.4	5.40 m	160 kg	35.5 kg

Extension and Single Ladder Accessories

MK Company Mark PS Pole Strap TL Top Lash TE Terrain Master



FED

FND



Closed height



Extended height



Height




Maximum load rating



Weight

Accessories


Safety Step Platforms



CE Lever Actuated Castors



FE Front Split Rail




MK Company Mark



TR Tool Tray




RE Rear Safety Rail



TU Terrain Master

Extension and Single Ladders



MK Company Mark



PS Pole Strap



TE Terrain Master



TL Top Lash



Distributors

United Kingdom

SafeSmart Access

a Trident Works, Mulberry Way
Belvedere, London, DA17 6AN

t 020 8311 1144

f 020 8711 5401

e sales@safesmartaccess.co.uk

w www.safesmartaccess.co.uk

Romania

Petroleum Safety Solutions

a Piersicului Street, no 1, Dragomiresti Vale
Ilfov County, Romania, 077095

t +4 021 232 0845

f +4 021 232 0846

e office@petroleumsafety.ro

w www.petroleumsafety.ro

Head Office

a 1/991 Mountain Highway
Boronia, Victoria 3155, Australia

t +61 3 9761 6633

f +61 3 9761 6644

e sales@branacheurope.com

w www.branacheurope.com

BRANACH
SAFETY. OUR WAY OF LIFE

branacheurope.com